



Q.C Department Certificate of analyse

Product Name: Calcium Hydrogen Phosphate (Dibasic Calcium Phosphate), 2 H₂O				
Mfg. Date: 1403/01/28		Batch Size: -----		Stock Room Code No.: ---
Exp. Date: 1404/01/28		Received Date: 1403/01/28		Lab. No.: 03/AT/7133
Batch No: 03/2010			Manufacturer : Aras Taban	
Test	Ref.	Acceptable limits	Result	Analyst
Characters	ISIRI- 2513	A white to grey granular and powder	Complies	M.R
Particle size,sieve No: 40(425µm)	ISIRI- 2513	Max 35% through	9 %	M.R
Loss on drying	ISIRI- 8784	Not more than 3.0%	2.18 %	M.R
pH 1% (In House)	ISIRI- 2513	4.0 to 7.0	4.49	M.R
Heavy metals as: Pb Cd As Hg	ISIRI- 2513	Not more than 15 ppm Not more than 15 ppm Not more than 10 ppm Not more than 0.1 ppm	<1 ppm 5.5 ppm 7.8 ppm <0.1 ppm	Zarazma
Limit of acid-insoluble substances	ISIRI- 11485	Not more than 1.5%	1.18 %	A.E
Soluble phosphorus in citric acid	ISIRI- 8784	Min 85% of total phosphor	95.63 %	M.R
Soluble phosphorus in alkaline of ammonium citrate	ISIRI- 8784	Min 85% of total phosphor	92.46 %	M.R
Limit of Fluorine	ISIRI- 8924	Not more than 2000 ppm	1646	Zarazma
Non Protein Nitrogen (NPN)	ISIRI- 2513	Absent	Absent	M.R
Assay as: phosphorus	ISIRI- 513	Not less than 17.0%	18.05 %	M.R
Calcium	ISIRI- 2513	21.0% to 25.0%	22.18 %	M.R
Analyst: M.R			QC. Manager: Dr. A. Esmaeili	
Approved <input checked="" type="checkbox"/> Reprocess <input type="checkbox"/> Rejected <input type="checkbox"/>				
این گواهی آنالیز بدون مهر امضا فاقد اعتبار است				
 arastaban.co		 WEB:www.arastaban.com		