


## Q.C Department Certificate of analyse

<b>Product Name: Calcium Hydrogen Phosphate (Dibasic Calcium Phosphate), 2 H<sub>2</sub>O</b>				
<b>Mfg. Date: 1401/11/09</b>		<b>Batch Size: -----</b>		<b>Stock Room Code No.: ---</b>
<b>Exp. Date: 1402/11/09</b>		<b>Received Date: : 1401/11/09</b>		<b>Lab. No.: 01/AT/6372</b>
<b>Batch No: 01/2196</b>			<b>Manufacturer : Aras Taban</b>	
Test	Ref.	Acceptable limits	Result	Analyst
Characters	QC.SOP. 01	A white to grey granular and powder	Complies	M.R
Particle size,sieve No: 40(425µm)	QC.SOP. 01	Max 35% through	9 %	M.R
Loss on drying	QC.SOP. 01	Not more than 3.0%	2.82 %	M.R
pH 1% (In House)	QC.SOP. 01	4.0 to 7.0	4.53	M.R
Heavy metals as: Pb Cd As Hg	QC.SOP. 01	Not more than 45 ppm Not more than 20 ppm Not more than 15 ppm Not more than 0.1 ppm	7.05 ppm 1.15 ppm 0.77 ppm <0.1 ppm	Salamat Alborz
Limit of acid-insoluble substances	QC.SOP. 01	Not more than 1.5%	1.23 %	H.J
Soluble phosphorus in citric acid	QC.SOP. 01	Min 85% of total phosphor	95.82%	M.R
Soluble phosphorus in alkaline of ammonium citrate	QC.SOP. 01	Min 85% of total phosphor	93.10 %	M.R
Limit of Fluorine	QC.SOP. 01	Not more than 1800 ppm		
Non Protein Nitrogen (NPN)	QC.SOP. 01	Absent	Absent	M.R
Assay as: phosphorus Calcium	QC.SOP. 01	Not less than 17.0% 21.0% to 25.0%	18.34 % 21.13 %	M.R
<b>Analyst: M.R</b>			<b>QC. Manager: H.Jalaal</b>	
Approved <input checked="" type="checkbox"/> Reprocess <input type="checkbox"/> Rejected <input type="checkbox"/>				
<b>این گواهی آنالیز بدون مهر امضا فاقد اعتبار است</b>				
 @arastaban1382    arastaban.co    WEB:www.arastaban.com				